

MAP 1
Stalked crinoids and the comatulid *Promachocrinus kerguelensis* (Antedonidae, Heliometrinae)

- *Bathycrinus australis*
- *Ptilocrinus*
  - *brucei*
  - *antarcticus*
- *Hyocrinus bethellianus*
- *Promachocrinus kerguelensis*

In areas with tints the records are too numerous to represent by individual symbols.



MAP 2
The family Notocrinidae and *Anthometra adriani* and *Florometra mawsoni* (Antedonidae, Heliometrinae)

Notocrinus
- *mortenseni*
- *virilis*

Anthometra adriani
Florometra mawsoni

In areas with tints or line pattern the records are too numerous to represent by individual symbols.



MAP 3
The family Antedonidae, subfamily Isometrinae, and *Solanometra antarctica*, subfamily Heliometrinae

Isometra
- *angustipinna**
- *flavescens**
- *graminea*
- *hordea*
- *lineata**
- *vivipara*

Solanometra antarctica

*Only one record on map

Bathycrinus
(after Thomson, 1876)
X2



Promachocrinus kerguelensis
(after Bernasconi, 1932)



Ptilocrinus antarcticus
(after Bather, 1908)
X1

COMPILED BY J. H. DEARBORN
AND J. A. ROMMEL

AMERICAN GEOGRAPHICAL SOCIETY—1969